

FIG.1

TYPE	FIG.	Dimensions(mm)						Cl (mm ²)	Ae (mm ²)	Le (mm)	Ve (mm ³)	AL±25%(nH/N ²)						Weight g/PRS
		A	B	C	D	E	F					FW40	FW44	FW95	FW5K	FW7K	FW10K	
EE5/5/2	1	5.25±0.2	2.65±0.15	1.95±0.1	1.35±0.1	3.8min	2.0±0.15	5.01	2.53	12.68	32.1	250	260	290	400	530	960min	0.20
EE6.3/6.7/1.2	1	6.3±0.3	3.35±0.1	1.2±0.2	1.75±0.2	4.2min	2.1±0.1	6.17	2.31	14.27	33.0	200	210	240				0.18
EE8.3/8/4	1	8.7±0.3	4.1±0.2	3.9±0.2	1.85±0.15	6.1min	3.1±0.2	2.75	7.00	19.20	134.0	550	555	650	1200	1300	1500min	0.70
EE10/11/5	1	10.2±0.3	5.5±0.15	4.85±0.2	2.5±0.15	7.5min	4.3±0.15	2.23	11.81	26.30	310.6	800	850	1000	1700	2000	2300min	1.50
EE10/11/10	1	10.5±0.5	5.5±0.15	9.8±0.3	2.4±0.3	7.6min	4.3±0.2	1.1	23.10	26.40	611.6	1900	1900					3.20
EE12/13/4	1	11.9±0.4	6.5±0.3	3.7±0.2	2.5±0.2	8.6min	4.9±0.3	3.19	9.25	29.55	352.3						3000min	1.80
EE13/13/4	1	12.7±0.35	6.35±0.15	3.6±0.2	3.6±0.2	8.8min	4.65±0.15	2.34	12.68	29.62	375.5	800	800	1000	1530	1780	2240min	1.90
EE13/12/6	1	13.0±0.4	6.0±0.15	6.0±0.15	2.6±0.2	9.8min	4.7±0.3	1.92	15.90	30.61	486.8	980	980	1150	1500	1750	2150min	1.20
EE13/13/6	1	13.2±0.4	6.3±0.3	6.0±0.3	2.7±0.3	10.0min	4.7±0.3	1.86	16.20	30.20	586.0	1000	1000	1500	2200	2700	3100min	2.70
EE13/13/10	1	13.2±0.4	6.3±0.3	9.8±0.3	2.7±0.3	9.8min	4.7±0.3	1.13	26.46	29.95	975.0	2200	2330					3.50
EE16/12/5	1	16.1±0.6	6.1+0/-0.3	4.7+0/-0.4	4.7+0/-0.3	11.45min	3.8±0.2	1.52	19.28	29.39	566.8	1160	1200	1450				2.92
EE16/12/7	1	16.0±0.35	6.0±0.15	7.2±0.2	4.55±0.2	11.3min	3.85±0.15	0.93	31.62	29.36	928.3	2010	2050	2500				4.80
EE16/14/7	1	16.0±0.5	7.3±0.3	6.7±0.3	4.0±0.3	11.8min	5.2±0.3	1.44	26.20	37.90	993.0	1130	1220	1500				4.60
EE16/15/5	1	16.0±0.5	7.3±0.3	5.0±0.3	4.0±0.3	11.8min	5.2±0.3	1.8	19.00	34.80	670.0	1100	1170	1250	2400	2800	3200min	3.30
EE16/16/5	1	16.2±0.6	8.1±0.3	4.5±0.3	4.5±0.3	11.4min	5.9±0.3	1.87	20.10	37.60	754.0	1000	1070	1320	2300	2800	3200min	3.90
EE16/16/7	1	16.0±0.5	8.2±0.2	7.0±0.3	4.6±0.3	11.2min	6.0±0.2	1.05	34.20	38.40	1033.4	1200						5.80
EE16/16/8	1	16.0+0.7/-0.5	8.2+0/-0.3	8.2+0/-0.3	4.7+0/-0.3	11.3+0.6/-0	5.7+0.4/-0	1.03	36.33	37.56	1364.7	1900	1950	2400				6.86
EE16/25/5	1	16.0±0.4	12.5±0.2	4.8±0.2	4.0±0.2	11.7min	10.35±0.2	2.78	20.01	55.67	1114.0	800	770					5.10
EE19/16/5	1	19.0±0.4	8.0±0.15	4.8±0.2	4.75±0.2	13.8min	5.8±0.15	1.79	22.28	39.81	886.9	1150	1200	1450	1950	2300	3300min	4.40
EE19/16/7	1	19.2±0.3	8.2±0.2	6.7±0.3	4.7±0.2	14.4min	5.9±0.2	1.34	30.30	40.80	1236.0	1500	1520	1850				6.30
EE19/16/10	1	19.2±0.5	8.1±0.3	9.5±0.3	4.6±0.3	14.2min	5.8±0.3	0.9	44.50	39.90	1777.5	1700	2250	2800				9.20
EE19/20/5	1	19.1±0.5	9.9±0.25	5.0±0.5	4.55±0.5	14.0min	7.6±0.15	2.08	22.90	47.60	1090.0	950	1060	1320				6.80
EE19/27/5	1	19.1±0.3	13.55±0.25	5.0±0.2	4.7±0.3	14.0min	11.15±0.35	2.78	22.40	62.20	1393.0	830	860	1100	1800	2300	2800min	7.00
EE20/20/6	1	20.0±0.5	10.1±0.3	5.7±0.3	5.7±0.3	14.1min	7.6±0.3	1.38	31.00	43.00	1340.0	1250	1600	1950				7.50
EE20/20/9	1	20.0±0.6	9.9±0.2	8.8±0.25	5.7±0.2	14.1min	7.2±0.2	0.96	48.06	46.32	2226.0	2170	2220	2800				
EE20/20/11	1	20.0±0.4	10±0.15	10.8±0.3	5.7±0.2	14.1min	7.2±0.15	0.77	60.46	46.39	2804.6	2800	2900	3600				14.2
EE20/21/7	1	20.5±0.5	10.7±0.3	7.0±0.3	5.0±0.3	14.7min	7.0±0.3	1.20	39.29	47.09	1850.2	1600	1650	2070	3600	4200	5800min	9.70
EE20/28/5	1	20.1±0.5	13.9±0.3	4.8±0.3	4.8±0.3	14.6min	11.7±0.3	2.55	24.50	62.74	1541.8	860	880	1130	2800	3500	4200min	8.40
EE22/19/6	1	22.4±0.5	9.5±0.4	5.65±0.25	5.65±0.25	16.0min	5.6±0.4	1.29	31.92	41.22	1749.2	1790	1900	2350	3900	4700	5600min	7.00
EE22/30/6	1	22.0±0.4	15.0±0.4	5.75±0.25	5.75±0.25	15.6min	11.3±0.2	1.82	35.00	63.60	2220.0	1300	1230	1570	2800	3500	4200min	11.1
EE22/44/5	1	22.2±0.4	22.2±0.4	4.7±0.3	5.8±0.3	15.6min	18.2±0.2	3.15	29.60	93.20	2757.0	650	750	970				13.80




FIG.1

TYPE	FIG.	Dimensions(mm)						Cl (mm ²)	Ae (mm ²)	Le (mm)	Ve (mm ³)	AL±25%(nH/N ²)						Weight g/PRS
		A	B	C	D	E	F					FW40	FW44	FW95	FW5K	FW7K	FW10K	
EE23/18/8	1	23.0±0.4	9.0±0.15	8.2±0.2	7.2±0.2	16.6min	5.4±0.15	0.72	59.00	42.60	2548.0	2500						13.50
EE25/20/6	1	25.4±0.5	10.0±0.3	6.4±0.3	6.0±0.3	18.5min	7.0±0.3	1.28	38.40	49.50	2131.0	1900	1650	2070	4100	5100	6000	10.70
EE25/14/14	1	25.00±0.4	7.25±0.15	13.8±0.30	7.2±0.25	17.6min	2.05±0.15	0.29	99.36	29.40	4414.0	4800						22.00
EE25/18/11	1	25.05±0.75	9.0±0.25	10.75±0.3	7.25±0.25	17.8min	5.4±0.25	0.56	77.30	43.60	3371.0	3200						20.30
EE25/25/9	1	25.05±0.75	12.55min	8.85±0.25	7.25±0.25	17.5min	9.0min	0.93	62.69	58.51	3667.9	2350	2430	3100				19.00
EE25/26/7	1	25.05±0.75	12.55±0.25	7.2±0.3	7.25±0.25	17.5min	8.95±0.25	1.06	54.00	57.60	3267.0	1900	1980	2500				13.50
EE25/26/11	1	25.05±0.5	12.55±0.15	10.75±0.3	7.25±0.25	17.5min	8.95±0.15	0.75	76.99	57.81	4451.0	3000	3100	3950				22.40
EE25/32/6	1	25.4±0.5	16.3±0.4	6.3±0.3	6.3±0.3	18.6min	13.3±0.4	1.90	40.40	76.70	3097.0	1300	1300		2800	3600	4300	15.50
EE26/22/11	1	26.7±0.5	10.8±0.3	11.0±0.3	7.2±0.3	19.0min	6.8±0.3	0.62	79.20	49.80	4578.0	3600	3600					22.00
EE28/21/11	1	28.40±0.5	10.30±0.2	10.70±0.3	7.20±0.3	20.0min	6.30±0.2	0.63	77.00	48.80	4534.0	3500	3690	4630				24.00
EE28/34/11	1	28.2±0.5	17.1±0.3	10.4±0.3	7.1±0.3	18.9min	12.8±0.4	0.99	73.84	73.65	6888.0	2400	2500	3230				35.00
EE30/26/11	1	30.0±0.5	13.2±0.2	10.7±0.3	10.7±0.3	19.8min	8.1±0.2	0.53	110.00	57.80	6358.0	4100	4230	5370				35.00
EE30/30/7	1	30.0±0.7	15.0±0.2	7.05±0.25	6.95±0.25	19.6min	10.0±0.2	1.28	48.90	63.00	4561.0	2300	1750	2240	4600			23.60
EE32/33/9	1	32.1±0.6	16.7±0.15	9.15±0.3	9.2±0.3	22.7min	11.5±0.15	0.88	85.44	75.08	6414.5	2700	2800	3600	5050	6100	7600min	32.60
EE32/32/11	1	32.1±0.6	16.1±0.15	10.45±0.3	9.2±0.3	23.2±0.6	11.75±0.15	0.80	93.47	74.91	7001.8	2950	3100	3950				35.20
EE33/28/13	1	33.0±0.6	14.0±0.3	13.0±0/-0.6	9.7±0.3	22.8min	9.6±0.3	0.56	118.83	66.50	7901.8	3900	4040	5170				40.60
EE33/48/13	1	33±0.65	23.7±0.15	12.7±0.35	9.7±0.3	23.8min	19.2±0.15	0.92	114.88	105.47	12115.9	2750	2850	3700				60.60
EE35/29/10	1	35.0±0.5	14.5±0.25	10.0±0.4	9.5±0.3	25.0min	10.0±0.3	0.70	98.60	69.20	6820.0	2593	2684	3430	5550	6700	8400min	33.20
EE35/35/10	1	35.0±0.6	17.5±0.3	10.0±0.3	10.0±0.3	24.5min	12.5±0.3	0.81	99.69	84.77	8047.5	2950	3050	3950				40.80
EE40/35/12	1	40.0±0.7	17.5±0.4	11.7±0.4	11.5±0.4	27.2min	10.6±0.4	0.55	141.80	78.68	11161.0	4300	4390	5660				59.00
EE41/34/13	1	40.6±0.6	16.5±0.3	12.5±0.3	12.5±0.3	28.6min	10.5±0.3	0.52	149.22	77.41	11551.4	4400	4560	5870	8890	10800	13300min	59.30
EE42/42/15	1	42.1±0.9	21.2±0.4	14.9±0.3	12.0±0.3	29.5min	15.4±0.3	0.60	180.00	97.80	17600.0	3800	4560	5940				88.00
EE42/42/20	1	42.1±0.9	21.2±0.4	19.9±0.3	12.0±0.3	29.5min	15.4±0.3	0.40	242.00	97.80	24698.0	5000	6070	7900				120.00
EE51/54/12	1	50.5±1.0	26.8±0.2	12.0±0.3	16.0±0.25	33.9min	18.8±0.2	0.62	192.00	118.80	22866.0	4700	4500					120.00
EE55/55/17	1	55.0±1.0	27.5±0.3	17.0±0.7	16.7±0.3	37.0min	18.8±0.3	0.428	283.00	121.00	37810.0	5500	3700					178.00
EE55/55/21	1	55.0±1.0	27.7±0.3	20.9±0.5	16.9±0.3	37.5min	18.8±0.3	0.35	354.00	123.00	43542.0	6500	7350	9660				223.00
EE56/55/25	1	56.5±1.0	27.8±0.3	24.8±0.3	16.85±0.3	37.5min	19.0±0.3	0.29	417.00	122.00	58446.0	7770						308.00
EE65/65/20	1	65.4±1.6	32.6±0.6	19.8±0.7	19.8±0.7	44.2min	22.6±0.6	0.40	378.90	147.00	58655.0	5400	5900	7840				285.00
EE65/65/27	1	65.4±1.6	32.6±0.6	27.0±0.6	19.8±0.7	44.2min	22.6±0.6	0.274	540.00	147.00	79000.0	7900	9700	12800				410.00
EE70/66/32	1	70.0±1.5	33.0±0.3	31.75±0.8	21.5±0.6	48.0min	22.5±0.3	0.208	700.00	145.50	101900.0	12800	12200	16100				530.00
EE80/76/20	1	80.5±1.5	38.0±0.4	20.0±0.5	20.0±0.4	60.0min	28.0±0.3	0.446	399.00	183.50	73150.0	4500	5880	7840				368.00